



RHINO TRED®

RECYCLED LIGHTWEIGHT PRECAST CONCRETE STAIR TREADS & LANDING PLANK

MODEL # RT-PC150 RHINO TRED STANDARD

- Recycled Plastic Structural Core
- 8,500 PSI Concrete Coat
- 34 lbs at 48"
- Epoxy Paint, Sand Grit Finish
- 1.5" x 11.625" x Specified


IBC
OSHA®
COMPLIANT


**ASTM E84 CLASS 1 /
CLASS A - WITH A
METAL STAIR ASSEMBLY**

**SINGLE PROFILE,
CONTINUOUSLY
CASTED - LENGTHS
SHOP CUT LIKE LUMBER**

ANTI SLIP FINISH

**CONSISTENT EPOXY
PAINT FINISH**



Easy installation

No more costly concrete pours

EASIER INSTALLATION. BETTER RESULT. LOWER COST.



RHINO TRED®

RECYCLED LIGHTWEIGHT PRECAST CONCRETE STAIR TREADS & LANDING PLANK

2 of 5

MODEL # RT-PC150-STNR RHINO TRED STNR SURFACE MOUNT

- Includes Standard Features
- 2" Surface Mount Aluminum Nosing
- Anodized Aluminum, Powder Coat Yellow or Black Option
- Photoluminescent, Traction Yellow or Black Stripe Option
- Nosing Field or Shop Applied with High Bond Adhesive
- 1.5" x 11.625" x Specified



IBC
OSHA®
COMPLIANT



**ASTM E84 CLASS 1 /
CLASS A - WITH A
METAL STAIR ASSEMBLY**

**SINGLE PROFILE,
CONTINUOUSLY CASTED -
LENGTHS SHOP CUT
LIKE LUMBER**

ANTI SLIP FINISH

**CONSISTENT EPOXY
PAINT FINISH**



Easy installation

No more costly concrete pours

EASIER INSTALLATION. BETTER RESULT. LOWER COST.



RHINO TRED®

RECYCLED LIGHTWEIGHT PRECAST CONCRETE STAIR TREADS & LANDING PLANK

3 of 5

MODEL # RT-PC150-SG-STNR RHINO TRED STNR FLUSH MOUNT

- Includes Standard Features
- 2" Flush Mount Aluminum Nosing
- Anodized Aluminum, Powder Coat Yellow or Black Option
- Photoluminescent, Traction Yellow or Black Stripe Option
- Nosing Shop Applied with High Bond Adhesive
- 1.5" x 11.625" x Specified



IBC
OSHA®
COMPLIANT



**ASTM E84 CLASS 1 /
CLASS A - WITH A
METAL STAIR ASSEMBLY**

**SINGLE PROFILE,
CONTINUOUSLY CASTED -
LENGTHS SHOP CUT
LIKE LUMBER**

ANTI SLIP FINISH

**CONSISTENT EPOXY
PAINT FINISH**



Easy installation

No more costly concrete pours

EASIER INSTALLATION. BETTER RESULT. LOWER COST.



RHINO TRED®

RECYCLED LIGHTWEIGHT PRECAST CONCRETE STAIR TREADS & LANDING PLANK

4 of 5

MODEL # RT-PC150-SG-STNS RHINO TRED STNS FLUSH MOUNT

- Includes Standard Features
- 1.5" Flush Mount Aluminum Nosing
- Anodized Aluminum, Powder Coat Yellow or Black Option
- Photoluminescent, Traction Yellow or Black Stripe Option
- Nosing Shop Applied with High Bond Adhesive
- 1.5" x 11.625" x Specified



IBC
OSHA®
COMPLIANT



**ASTM E84 CLASS 1 /
CLASS A - WITH A
METAL STAIR ASSEMBLY**

**SINGLE PROFILE,
CONTINUOUSLY CASTED -
LENGTHS SHOP CUT
LIKE LUMBER**

ANTI SLIP FINISH

**CONSISTENT EPOXY
PAINT FINISH**



Easy installation

No more costly concrete pours

EASIER INSTALLATION. BETTER RESULT. LOWER COST.



RHINO TRED®

RECYCLED LIGHTWEIGHT PRECAST CONCRETE STAIR TREADS & LANDING PLANK

5 of 5

MODEL # RT-PC150-STNC3 RHINO TRED STNC3 EMBEDDED

- Includes Standard Features
- 3" Embedded Aluminum Nosing
- Anodized Aluminum, Powder Coat Yellow or Black Option
- Photoluminescent, Traction Yellow or Black Stripe Option
- Embedded in Wet Concrete For Flush Mount
- 1.5" x 11.625" x Specified



IBC
OSHA®
COMPLIANT



**ASTM E84 CLASS 1 /
CLASS A - WITH A
METAL STAIR ASSEMBLY**

**SINGLE PROFILE,
CONTINUOUSLY CASTED -
LENGTHS SHOP CUT
LIKE LUMBER**

ANTI SLIP FINISH

**CONSISTENT EPOXY
PAINT FINISH**



Easy installation

No more costly concrete pours

EASIER INSTALLATION. BETTER RESULT. LOWER COST.